

Guide to Setup TestingWhiz Extension for Recording User Actions using Chrome and Firefox

## Installing and recording with Chrome browser.

- a. Download and **unzip** the extension into your local machine from <u>here</u>.
- b. Navigate to chrome://extensions in the chrome browser.
- c. Enable developer mode (a checkbox on first row top right).
- d. Click on Load unpacked extension...
- e. Browse to the unzipped extension file.
- f. Check the checkbox to enable the extension.
- g. Close this tab.
- h. Open URL chrome://flags#allow-insecure-localhost in Chrome.
- i. Make sure it is enabled or click enable to enable it.
- j. Go to TestingWhiz and start recording with Chrome browser.



k. On the landing page go to **Advanced** and click on proceed to Localhost(unsafe).

	I
Your connection is not private	I
Attackers might be trying to steal your information from <b>localhost</b> (for example, passwords, messages, or credit cards). <u>Learn more</u> NET::ERR_CERT_AUTHORITY_INVALID	
Automatically send some <u>system information and page content</u> to Google to help detect dangerous apps and sites. <u>Privacy policy</u>	l
HIDE ADVANCED Back to safety	l
This server could not prove that it is <b>localhost</b> ; its security certificate is not trusted by your computer's operating system. This may be caused by a misconfiguration or an attacker intercepting your connection.	
Proceed to localhost (unsafe)	J

I. Users can now record their application from the following screen.

TestingWhiz Code Loss, Test Mare		
	Start: Enter the URL to start recording from Go	
This is the landing page for the exter url and click enable	Il recorder. The same recording rules will apply here as those seen in the inbuilt recorder. If you are using Chrome enter chrome://flags/#allow-insecure-localhost in your	

Congratulations! You are done with setting up recording mechanism via Google chrome for TestingWhiz.

## Installing and recording with Firefox browser.

- a. Download and **unzip** the extension into your local machine from <u>here</u>.
- b. Open Firefox and navigate to about:debugging
- c. Click on Load Temporary Add-on
- d. Go to extracted folder and select background.js file from it (usually first file)
- e. Go to TestingWhiz and start recording with Firefox browser.



f. On landing page click on Advanced and then click on Add Exception



g. Then Click on Confirm Security exception

Add Security Exception		
You are about to override how Firefox Developer Edition identifies this site. Legitimate banks, stores, and other public sites will not ask you to do this. Server Location: https://localhoet/2006/		
Certificate Status		
This site attempts to identify itself with invalid information.		
Unknown Identity		
The certificate is not trusted because it hasn't been verified as issued by a trusted authority using a secure signature.		
Permanently store this exception		
<u>C</u> onfirm Security Exception Cancel		

- h. Close the current tab, go to testing whiz and start recording with Firefox.
- i. Users can now record their application from the following screen.

S TestingWhiz Code Lesi, Tas Mere	į.
	l
Start: Enter the URL to start recording from Go	l
(his is the landing page for the external recorder. The same recording rules will apply here as those seen in the inbuilt recorder. If you are using Chrome enter chrome://flags/#allow-insecure-localhost in your rf and click enable	L
	l
	l
	J.

Congratulations! You are done with setting up recording mechanism via Mozilla Firefox for TestingWhiz.

End